Particular	Place of sale	Date of sale
2. Sale of the right of tapping wood-oil in Mudgere and Koppa Ranges during 1937-39.	Range Office, Mudgere ..	30th October 1937.
	Koppa Town Musafirkhana	29th October 1937.
3. Sale of the right of collection and removal of canes in Koppa Taluk during 1937-39.	Koppa Town Musafirkhana	Do.
4. Sale of the right of collection and removal of Tupra leaves in Mudgere and Koppa Taluks during 1937-40.	Range Forest Office, Mudgere	30th October 1937.
	Travellers' Bungalow, Koppa	Do

M. A. MUTHANNA,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 19th October 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 15th November 1937, for labour portion of the work for Sanitary Installation of B and C Blocks of the New Railway Offices, Mysore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1938.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office, between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 250 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for labour portion of the work for Sanitary Installation of B and C Blocks of the New Railway Offices, Mysore, in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract estimate of quantities of work to be done.

No.	Particulars	Unit	Quantity
	Labour charges.		
1	Fixing water closets, lavatory and urinal sets complete	No.	32
2	Fixing accessories	,,	33
3	Providing 4″ C. I. soil pipes with specials such as bends, offsets and junctions, etc., laying and jointing with lead including boring in brick or stone walls, terrace and cornice and redoing, grooving wall terrace and stone wall and redoing with cement, earthwork excavation, refilling, cutting floor and redoing with tiles, etc., including scaffolding and providing 4″ cowls made of perforated zinc sheet as per design, complete and fixing with screws and wooden plugs to walls	R.ft.	620
4	Do 3″ do	,,	650
5	Do 2″ do	,,	280
6	Providing and fixing 2″ lead pipes with wiped solder joint including providing and fixing brass thimbles and tails, wherever necessary as per above	,,	260
7	Providing 4″ lead pipes bending and fixing with wiped solder joints, including providing and fixing 4″ brass thimbles and tails ..	No.	14
8	Providing 1½″ lead pipes bending and fixing with wiped solder joints for waste pipes	,,	13
9	Do ¾″ and ½″ do	,,	56
10	Do 1¼″ lead pipes for slush pipes	R.ft.	300
11	Providing and fixing ½″ N.P. stop cocks with unions	No.	34
12	Do bib cocks N.P.	,,	36
13	Providing and fixing 6″×3″ C.I. trap including constructing cement concrete cistern and providing 6″ diar. N.P. grating ..	,,	7
14	Providing and fixing porcelain trap, including constructing cement concrete cistern and providing 6″ diar. N.P. grating ..	,,	16
15	Cutting floor and filling cement concrete all round the pan and trap including below the trap 6″ deep and earthwork excavation, etc., complete	,,	12
16	Painting sanitary fittings and pipes, etc., including three coats white enamel paint	,,	32
	Water connection.		
1	Providing 1½″, 1″, ¾″ and ½″ gald. pipes and fittings including laying and jointing and cutting and threading and wall, cornice and terrace bores of walls, cornice and terrace grooving and redoing, earthwork excavation and refilling and tamping and cost of gland cock and gland cock cistern with cost of road box and fixing, etc., complete—		
	Do 1½″ do	R.ft.	300
	Do 1″ do	,,	320
	Do ¾″ and ½″ do	,,	800
	Drainage arrangements.		
1	Providing 6″ stoneware pipes of best quality, laying and jointing in cement mortar 1 : 1 earthwork excavation in hard and soft soil or hard or soft rock and refilling watering and tamping complete with removal of surplus earth and forming and cleaning, etc., complete, including all charges of testing	,,	464
2	Do 4″ do	,,	200
3	Providing and fixing 6″×4″ stoneware gully trap with grating including constructing cistern in cement mortar and providing and fixing hinged lid and frame C.I. and painting, etc., complete	No.	6
4	Constructing circular manhole as per specification	,,	7
5	Boring hole in existing manhole and redoing same with cement mortar and making drain, etc., complete	,,	6
6	Repairing road crossing with extra metal	R.ft.	64

No.	Particulars	Unit	Quantity
7	Earthwork excavation and refilling chunam concrete over the pipe line up to basement, filling earth, tamping, watering and removing surplus earth, etc., complete	C.ft:	720
8	Removing old 4" pipes for laying 6" stoneware pipes, etc. ..	R.ft.	120

Notification dated 21st October 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 15th November 1937 for constructing silk pattern drains in Jagalur Town, Chitaldrug District. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1938.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 580 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for constructing silk pattern drains in Jagalur Town, Chitaldrug District" in default of which the tenders will be rejected.

5. The final acceptance of any tender will rest with the Sanitary Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Estimate of the approximate quantities for constructing drains in Jagalur Town of Chitaldrug District.

No.	Description of work	Unit	Quantity
1	Constructing silk pattern drains with 3" thick burnt stone slab cheeks at sides and surki concrete bed by forming semi-circular-channel at the centre of concrete bed and surface plastered over with ½" cement mortar, joints of slabs cement pointed including earthwork excavation for the drains, etc., complete as per type design—		
	2" section drain	R.ft.	5,565
	3" do	,,	2,030
	4" do	,,	320
	4" (1) do	,,	210
	4" (2) do	,,	765
	5" (2) do	,,	150
2	Construction of Road Crossings.—		
	(a) Earthwork excavating foundation	C.yd.	42
	(b) 6" burnt stone slabs hammer dressed and fixed including earth cushion and forming road	S.ft.	1,125
	(c) Burnt stone slabs 6" thick 2 lines dressed and fixed for parapet walls	,,	800

N. KRISHNIENGAR,
Sanitary Engineer.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Notification dated 22nd October 1937.

1. Sealed tenders will be received at the Office of the Assistant Engineer, Headquarter Range, Mysore, up to 12 noon on 13th November 1937, for constructing Rearing Rooms Block of the Silk Filature Buildings, Mysore.

2. Tenders in the prescribed form obtainable from the Office of the Assistant Engineer, Headquarter Range, Mysore, on payment of rupee one for each form, should be addressed to the Assistant Engineer, Headquarter Range, and should be superscribed as "Tender for constructing Rearing Rooms Block of the Silk Filature Buildings, Mysore." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 750 only in cash or Government Security, Municipal Debentures, Post Office Cash Certificates (at cash payment value at the time of deposits and not face value) as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. (Cash amount will not carry any interest.) In case of the acceptance of the tender, an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 15th November 1937 at 4 P.M. The final acceptance of the tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Assistant Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Assistant Engineer, Headquarter Range, Mysore, on all working days, between 11A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and in multiples of three pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current shedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power of attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Assistant Engineer, Headquarter Range, Mysore, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities as estimated are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Assistant Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of March 1938, failing which the Assistant Engineer may, at his discretion, levy a penalty up to Rs. 50 per day, which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipt orginally granted, along with an application to the Assistant Engineer, Headquarter Range, Mysore.

19. No claims for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the Assistant Engineer, in the interest of the work, shall be accepted by the tenderer at the rates fixed by the Assistant Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

Note.—(A) The contractor should at his own cost—

(1) provide rods, stakes, ropes and labours required in setting out the works,
(2) provide all necessary scaffolding, centering labour and appliance for hoisting,
(3) provide mortar mill and shed to keep materials under cover and also for workmen,
(4) arrange for protecting work during inclement weather,
(5) supply requisite temporary lights, water cisterns, water-shoots, coverings to masonry, tile pieces to steps, sieves, parahs or measures, shoring and other requisite protection during the progress of the work,
(6) supply all water required for work and workmen and shall provide latrines, drainages, etc.,
(7) clean away all dirt, rubbish, superfluous materials and debris as they accumulate,
(8) provide arrangements for pumping and bailing from excavations and foundations, wherever and whenever necessary with their own pumping apparatus, including necessary leading drains, slump pits, etc.,
(9) wash floors at completion and leave the whole of the work and premises in a clean and orderly condition, etc.,
(10) afford facilities to any other parties employed upon the work, so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.

Note.—(B) It is the business of the contractors to make their own arrangements for the quarries and supplies of materials.

23. The rates for wood-work for all works quoted should be based on the rates of the departmental supply as noted below. Only Mysore teak selected from the Mysore Government Depots must be used.

24. Work to the extent of Rs. 4,000 will have to be carried out each month.

Prevailing Government rates at Mysore Forest Depot for Mysore teak is as follows:—

	Rs.	a.	p.	
(1) Selected 1st class logs	2	8	0	per c.ft.
(2) Cut scantling of sizes 3″×4″ ..	3	4	0	,,
(2)(*a*) Do 3″×5″ to 4″×7″ ..	3	12	0	,,
(3) Planks 1″ to 1¾″ to required sizes ..	4	8	0	,,

Approximate estimated of quantities for constructing Rearing Rooms Block of the Silk Filature Buildings, Mysore, for 1937-38.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Earthwork excavation for foundation in hard gravelly soil and filling in basement with watering and tamping, etc., completo ..	C.yd.	..	236	
2	Filling in foundation with broken granite stone jelly concrete in lime mortar in layers not more than 6″ thick including watering and tamping, etc.	C.ft.	..	1,594	
3	Filling in foundation and basement with size stone in lime mortar including through bond stones at every 6′ apart the quoins in basement neatly dressed 2″ wide	,,	..	4,971	
4	Burnt stone slabs 6″ thick roughly dressed and fixed in mortar	S.ft.	..	245	
5	Two lines dressing to slabs	,,	..	323	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
6	(*a*) Reinforced cement concrete slabs 4″ thick 1 : 2 : 4 including fixing complete ..	C.ft.	..	116	
	(*b*) Cement concrete slabs	,,	..	378	
7	Burnt brick in lime mortar for superstructure ..	,,	..	5,085	
8	Do arch work	,,	..	23	
9	Providing and fixing T. W. doors of frames 3″×4½″ without bottom sills, having fully panelled shutters 1½″ thick T. W. rectangular ventilators on top including superior rim lock with handles, hooks, etc., complete ..	S.ft.	..	336	
10	Providing and fixing T.W. windows with frames 3″×4″ and 1¼″ thick shutters fully panelled with rectangular playing glazed shutters to ventilators on top including ¾″ thick round iron bars, bolts, nuts, etc., complete ..	,,	..	462	
11	Constructing specially moulded wire cut bricks in cement mortar or R.C.C. pillars of 10″ diameter including base and capitals as per design and plastering, white or colour washing, etc., complete	Each	..	18	
12	Providing and fixing R. S. girders of B.S.S. (tested) including hoisting and with one coat of anti-corrosive paint, etc., complete ..	Cwt.	..	58.28	
13	Boxing up girders 10″×4½″ and double girders of 6″×3″ with terrace bricks in cement mortar and reinforcements with galvanized steel tex tied from above, including fabrications and chunnam plastering, white or colour washing, etc., complete	R.ft.	..	250	
14	Roofing with R.C.C. as per specifications with reinforcements for spans not exceeding 10 feet	Sqr.	..	46.79	
15	Constructing parapet wall as per design ¾′ thick 2′ high with burnt brick in lime mortar and plastering white or colour washing, etc., complete	R.ft.	..	339	
16	Chunnam plastering ½″ to ¾″ thick and finished smooth	Sqr.	..	104.75	
17	Flooring with 1½″ cement concrete (1 : 2 : 4) jelly to be of granite metal over 3″ lime concrete with topping of red cement ½″ thick finished with ironite 2½ lbs. per square and cut to tile pattern where required with all corners rounded, etc., complete	,,	..	29.84	
18	Cement pointing to basement after raking joints	Sqr.	..	5·13	
19	Silicate painting two coats	,,	..	19·11	
20	White and colour washing two coats	,,	..	104·75	
21	Providing and fixing 3″×4″ rectangular C.I. down take rain water pipes with gratings, heads, elbows, bends, etc., with required colour painting with necessary fixtures, etc., complete	R.ft.	..	272	
	Alternative Items.				
1	Wire cut bricks in chunnam mortar	C.ft.	..	5,085	
2	Wire cut bricks in cement mortar for arch works	,,	..	23	
3	Granite cut stone pillars 1½′ foot diameter with base and capitals as per design neatly dressed including fixing	Each	..	18	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
4	(*a*) Roofing with reinforced joists (as per specifications) and brick nogged terrace with 4″ kappi in quick lime two courses of flat tiles, top and ceiling plastered ½″ thick including white washing; coving as per design, etc., complete	Sqr.	..	46·79	
	(*b*) Roofing with reinforced cement concrete and brick terrace (R.C.C. to be of broken granite jelly 1 : 2 : 4) with ⅜″ dia. reinforcement bars for spans less than 10 feet placed at 4½″ apart centre to centre and with negative moment and distribution bars and 2″ cross and longitudinal joints and with 3″ layer of surki concrete and then 2″ of cement stone jelly concrete including two courses of flat tiles and ½″ thick, top and ceiling plastered and white washing with coving as per design, etc., complete	Sqr.	..	46·79	

M. A. RAMANUJAM,
Assistant Engineer.

ANJANAPUR DIVISION.

Notification dated 17th October 1937.

In modification of this office Notification dated 27th September 1937, published on pages 1684 to 1688 of Part VI of the *Mysore Gazete*, dated 7th October 1937, calling for tenders for "Constructing an Inspection Lodge at Anjanapur Reservoir Works, Anjanapur," it is notified that the time for acceptance of tenders at this office is extended till 4 P.M. on Friday the 29th instant.

Page No. 1686—Item Nos. 10 and 15 and page No. 1687—Item No. 23, please *omit* words "Iron," "light" and "S. L." and *read* as "brass", "white" and "L. S." in their stead respectively.

The words "pipe to be supplied departmentally" may be inserted after "3″ diameter cast iron old pipe" in item No. 15 on page 1686.

M. K. RAJAM IYENGAR,
Executive Engineer.

MEDICAL DEPARTMENT

EPIDEMIC DISEASES HOSPITAL AND LEPER ASYLUM, BANGALORE.

Abstract Notification dated 2nd October 1937.

The attention of the public is invited to the detailed notification calling for tenders for the supply of diet and other articles to the combined Epidemic Diseases Hospital and Leper Asylum, Bangalore, from 1st January 1938 to 31st December 1938 (both days inclusive), published in pages 1689-1690 of Part VI of the *Mysore Gazette*, dated 7th October 1937.

T. SUBBA RAO,
Medical Officer.

MINTO OPHTHALMIC HOSPITAL, BANGALORE.

Tender Notification dated 25th October 1937.

Notice is hereby given that sealed tenders in triplicate on half-sheet foolscap size paper will be received at the Office of the Secretary (in Victoria Hospital), Victoria, Minto and Vani Vilas Hospitals, Bangalore, on the 30th November 1937 at 11 A.M., for the supply of bedding and clothing required for the use of Minto Ophthalmic Hospital, Bangalore, for the year 1937-38.

2. No tender will be received after the date and hour abovementioned.

3. Tenders to be superscribed "Tender for the supply of Bedding and Clothing" to the Minto Ophthalmic Hospital, Bangalore.